

# Demo of Minitoc package

Dr Christopher J Mabb

April 7, 2016



# Contents

<b>Introduction</b>	<b>xi</b>
<b>I The First Part</b>	<b>1</b>
1 Standard $\LaTeX$ Book	9
2 Using This Shell	11
3 Features of This Shell	13
3.1 Section Heading . . . . .	13
3.1.1 Subsection . . . . .	13
3.2 Tags . . . . .	13
3.3 Mathematics and Text . . . . .	15
3.4 Lists Environments . . . . .	15
3.5 Theorem-Like Environments . . . . .	16
<b>II The Second Part</b>	<b>17</b>
4 Another Chapter	25
5 Another Another Chapter (again)	27
6 And Another (I know... again)	29
6.1 Section Heading . . . . .	29
6.1.1 Subsection . . . . .	29
6.2 Tags . . . . .	29
6.3 Mathematics and Text . . . . .	31
6.4 Lists Environments . . . . .	31
6.5 Theorem-Like Environments . . . . .	32

**Appendix**

**33**

**Afterword**

**35**

# List of Figures

1.1	This is Barry . . . . .	10
1.2	MacKichan logo . . . . .	10
4.1	Butterfly shape . . . . .	26
4.2	Scientific Notebook logo . . . . .	26



# List of Tables

1.1	A table . . . . .	9
4.1	Fruit . . . . .	25





# Preface

This is the preface. It is an unnumbered chapter. The [markboth]  $\TeX$  field at the beginning of this paragraph sets the correct page heading for the Preface portion of the document. The preface does not appear in the table of contents.



# Introduction

The introduction is entered using the usual chapter tag. Since the introduction chapter appears before the [mainmatter]  $\TeX$  field, it is an unnumbered chapter. The primary difference between the preface and the introduction in this shell document is that the introduction will appear in the table of contents and the page headings for the introduction are automatically handled without the need for the [markboth]  $\TeX$  field. You may use either or both methods to create chapters at the beginning of your document. You may also delete these preliminary chapters.



## **Part I**

# **The First Part**



# Table of Contents

---

<b>1</b>	<b>Standard L<sup>A</sup>T<sub>E</sub>X Book</b>	<b>9</b>
<b>2</b>	<b>Using This Shell</b>	<b>11</b>
<b>3</b>	<b>Features of This Shell</b>	<b>13</b>
3.1	Section Heading . . . . .	13
3.1.1	Subsection . . . . .	13
3.2	Tags . . . . .	13
3.3	Mathematics and Text . . . . .	15
3.4	Lists Environments . . . . .	15
3.5	Theorem-Like Environments . . . . .	16

---





## List of Figures

---

1.1	This is Barry . . . . .	10
1.2	MacKichan logo . . . . .	10

---



## List of Tables

---

1.1	A table . . . . .	9
-----	-------------------	---

---



# Chapter 1

## Standard L<sup>A</sup>T<sub>E</sub>X Book

This document illustrates the appearance of a book created with the shell **Standard LaTeX Book**. The shell automatically adds blank pages after the title page, the table of contents, the preface, and where necessary to ensure that new chapters begin on odd-numbered pages. The shell doesn't contain an abstract. Blank pages carry headers and page numbers.

The standard L<sup>A</sup>T<sub>E</sub>X shells provide the most general and portable set of document features. You can achieve almost any typesetting effect by beginning with a standard shell and adding L<sup>A</sup>T<sub>E</sub>X packages as necessary.

The document class base file for this shell is `book.cls`. This typesetting specification supports a number of class options. To see the available class options, choose **Typeset**, choose **Options and Packages**, select the **Class Options** tab, and then click the **Modify** button. This shell uses the default class options.

The typesetting specification for this shell document uses these options and packages with the defaults indicated:

<b>Options and Packages</b>	<b>Defaults</b>
Document class options	Standard
Packages:	
amsfonts	None
amsmath	Standard

Table 1.1: A table



Figure 1.1: This is Barry



Figure 1.2: MacKichan logo

## Chapter 2

# Using This Shell

The front matter of this shell has a number of sample entries that you should replace with your own. Replace the body of this document with your own text. To start with a blank document, you may delete the preliminary chapters and the text in this document. Do not delete the `[mainmatter]`  $\TeX$  field found above in a paragraph by itself or the numbering of different objects will be wrong.

Changes to the typeset format of this shell and its associated  $\LaTeX$  formatting file (`book.cls`) are not supported by MacKichan Software, Inc. If you want to make such changes, please consult the  $\LaTeX$  manuals or a local  $\LaTeX$  expert.

If you modify this document and export it as “Standard LaTeX Book.shl” in the `Shells\Standard LaTeX` directory, it will become your new Standard LaTeX Book style shell.





## Chapter 3

# Features of This Shell

### 3.1 Section Heading

Use the Section tag for major sections, and the Subsection tag for subsections.

#### 3.1.1 Subsection

This is just some harmless text under a subsection.

#### Subsubsection

This is just some harmless text under a subsubsection.

**Subsubsubsection** This is just some harmless text under a subsubsubsection.

**Subsubsubsubsection** This is just some harmless text under a subsubsubsubsection.

### 3.2 Tags

You can apply the logical markup tag *Emphasized*.

You can apply the visual markup tags **Bold**, *Italics*, Roman, Sans Serif, *Slanted*, SMALL CAPS, and **Typewriter**.

You can apply the special mathematics-only tags BLACKBOARD BOLD, *CALLIGRAPHIC*, and *fraktur*. Note that blackboard bold and calligraphic are correct only when applied to uppercase letters A through Z.

You can apply the size tags tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge and Huge.

This is a Body Math paragraph. Each time you press the Enter key, Scientific WorkPlace switches to mathematics mode. This is convenient for carrying out “scratchpad” computations.

Following is a group of paragraphs marked as Short Quote. This environment is appropriate for a short quotation or a sequence of short quotations.

The only thing we have to fear is fear itself. *Franklin D. Roosevelt*, Mar. 4, 1933

Ask not what your country can do for you; ask what you can do for your country. *John F. Kennedy*, Jan. 20, 1961

There is nothing wrong with America that cannot be cured by what is right with America. *William J. "Bill" Clinton*, Jan. 21, 1993

The Long Quotation tag is used for quotations of more than one paragraph. Following is the beginning of *Alice's Adventures in Wonderland* by Lewis Carroll:

Alice was beginning to get very tired of sitting by her sister on the bank, and of having nothing to do: once or twice she had peeped into the book her sister was reading, but it had no pictures or conversations in it, 'and what is the use of a book,' thought Alice 'without pictures or conversation?'

So she was considering in her own mind (as well as she could, for the hot day made her feel very sleepy and stupid), whether the pleasure of making a daisy-chain would be worth the trouble of getting up and picking the daisies, when suddenly a White Rabbit with pink eyes ran close by her.

There was nothing so very remarkable in that; nor did Alice think it so very much out of the way to hear the Rabbit say to itself, 'Oh dear! Oh dear! I shall be late!' (when she thought it over afterwards, it occurred to her that she ought to have wondered at this, but at the time it all seemed quite natural); but when the Rabbit actually took a watch out of its waistcoat-pocket, and looked at it, and then hurried on, Alice started to her feet, for it flashed across her mind that she had never before seen a rabbit with either a waistcoat-pocket, or a watch to take out of it, and burning with curiosity, she ran across the field after it, and fortunately was just in time to see it pop down a large rabbit-hole under the hedge.

In another moment down went Alice after it, never once considering how in the world she was to get out again.

Use the Verbatim tag when you want L<sup>A</sup>T<sub>E</sub>X to preserve spacing, perhaps when including a fragment from a program such as:

```
#include <iostream>          // < > is used for standard libraries.
void main(void)             // "main" method always called first.
{
    cout << "Hello World."; // Send to output stream.
}
```

### 3.3 Mathematics and Text

Let  $H$  be a Hilbert space,  $C$  be a closed bounded convex subset of  $H$ ,  $T$  a nonexpansive self map of  $C$ . Suppose that as  $n \rightarrow \infty$ ,  $a_{n,k} \rightarrow 0$  for each  $k$ , and  $\gamma_n = \sum_{k=0}^{\infty} (a_{n,k+1} - a_{n,k})^+ \rightarrow 0$ . Then for each  $x$  in  $C$ ,  $A_n x = \sum_{k=0}^{\infty} a_{n,k} T^k x$  converges weakly to a fixed point of  $T$ .

The numbered equation

$$u_{tt} - \Delta u + u^5 + u|u|^{p-2} = 0 \text{ in } \mathbf{R}^3 \times [0, \infty[ \quad (3.1)$$

is automatically numbered as equation ??.

### 3.4 Lists Environments

You can create numbered, bulleted, and description lists using the Item Tag popup list on the Tag toolbar.

1. List item 1
  2. List item 2
    - (a) A list item under a list item.
 

The typeset style for this level is different than the screen style. The screen shows a lower case alphabetic character followed by a period while the typeset style uses a lower case alphabetic character surrounded by parentheses.
    - (b) Just another list item under a list item.
      - i. Third level list item under a list item.
        - A. Fourth and final level of list items allowed.
- Bullet item 1
  - Bullet item 2
    - Second level bullet item.
      - \* Third level bullet item.
        - Fourth (and final) level bullet item.

**Description List** Each description list item has a term followed by the description of that term. Double click the term box to enter the term, or to change it.

**Bunyip** Mythical beast of Australian Aboriginal legends.

### 3.5 Theorem-Like Environments

The following theorem-like environments (in alphabetical order) are available in this style.

**Acknowledgement 1** *This is an acknowledgement*

**Algorithm 2** *This is an algorithm*

**Axiom 3** *This is an axiom*

**Case 4** *This is a case*

**Claim 5** *This is a claim*

**Conclusion 6** *This is a conclusion*

**Condition 7** *This is a condition*

**Conjecture 8** *This is a conjecture*

**Corollary 9** *This is a corollary*

**Criterion 10** *This is a criterion*

**Definition 11** *This is a definition*

**Example 12** *This is an example*

**Exercise 13** *This is an exercise*

**Lemma 14** *This is a lemma*

**Proof.** This is the proof of the lemma. ■

**Notation 15** *This is notation*

**Problem 16** *This is a problem*

**Proposition 17** *This is a proposition*

**Remark 18** *This is a remark*

**Summary 19** *This is a summary*

**Theorem 20** *This is a theorem*

**Proof of the Main Theorem.** This is the proof. ■

**Part II**

**The Second Part**



# Table of Contents

---

<b>4</b>	<b>Another Chapter</b>	<b>25</b>
<b>5</b>	<b>Another Another Chapter (again)</b>	<b>27</b>
<b>6</b>	<b>And Another (I know... again)</b>	<b>29</b>
6.1	Section Heading . . . . .	29
6.1.1	Subsection . . . . .	29
6.2	Tags . . . . .	29
6.3	Mathematics and Text . . . . .	31
6.4	Lists Environments . . . . .	31
6.5	Theorem-Like Environments . . . . .	32

---





## List of Figures

---

4.1	Butterfly shape . . . . .	26
4.2	Scientific Notebook logo . . . . .	26

---



## List of Tables

---

4.1	Fruit . . . . .	25
-----	-----------------	----

---



## Chapter 4

# Another Chapter

This document illustrates the appearance of a book created with the shell **Standard LaTeX Book**. The shell automatically adds blank pages after the title page, the table of contents, the preface, and where necessary to ensure that new chapters begin on odd-numbered pages. The shell doesn't contain an abstract. Blank pages carry headers and page numbers.

The standard L<sup>A</sup>T<sub>E</sub>X shells provide the most general and portable set of document features. You can achieve almost any typesetting effect by beginning with a standard shell and adding L<sup>A</sup>T<sub>E</sub>X packages as necessary.

The document class base file for this shell is `book.cls`. This typesetting specification supports a number of class options. To see the available class options, choose **Typeset**, choose **Options and Packages**, select the **Class Options** tab, and then click the **Modify** button. This shell uses the default class options.

The typesetting specification for this shell document uses these options and packages with the defaults indicated:

<b>First Column</b>	<b>Second Column</b>
Apple	Red
Orange	Orange
Pear	Green
Banana	Yellow

Table 4.1: Fruit




Figure 4.1: Butterfly shape



Figure 4.2: Scientific Notebook logo

## Chapter 5

# Another Another Chapter (again)

The front matter of this shell has a number of sample entries that you should replace with your own. Replace the body of this document with your own text. To start with a blank document, you may delete the preliminary chapters and the text in this document. Do not delete the [mainmatter]  $\TeX$  field found above in a paragraph by itself or the numbering of different objects will be wrong.

Changes to the typeset format of this shell and its associated  $\LaTeX$  formatting file (`book.cls`) are not supported by MacKichan Software, Inc. If you want to make such changes, please consult the  $\LaTeX$  manuals or a local  $\LaTeX$  expert.

If you modify this document and export it as “Standard LaTeX Book.shl” in the `Shells\Standard LaTeX` directory, it will become your new Standard LaTeX Book style shell.





## Chapter 6

# And Another (I know... again)

### 6.1 Section Heading

Use the Section tag for major sections, and the Subsection tag for subsections.

#### 6.1.1 Subsection

This is just some harmless text under a subsection.

##### Subsubsection

This is just some harmless text under a subsubsection.

**Subsubsubsection** This is just some harmless text under a subsubsubsection.

**Subsubsubsubsection** This is just some harmless text under a subsubsubsubsection.

### 6.2 Tags

You can apply the logical markup tag *Emphasized*.

You can apply the visual markup tags **Bold**, *Italics*, Roman, Sans Serif, *Slanted*, SMALL CAPS, and **Typewriter**.

You can apply the special mathematics-only tags **BLACKBOARD BOLD**, *CALLIGRAPHIC*, and **fraktur**. Note that blackboard bold and calligraphic are correct only when applied to uppercase letters A through Z.

You can apply the size tags tiny, scriptsize, footnotesize, small, normalsize, large, Large, LARGE, huge and Huge.

This is a Body Math paragraph. Each time you press the Enter key, Scientific WorkPlace switches to mathematics mode. This is convenient for carrying out “scratchpad” computations.

Following is a group of paragraphs marked as Short Quote. This environment is appropriate for a short quotation or a sequence of short quotations.

The only thing we have to fear is fear itself. *Franklin D. Roosevelt*, Mar. 4, 1933

Ask not what your country can do for you; ask what you can do for your country. *John F. Kennedy*, Jan. 20. 1961

There is nothing wrong with America that cannot be cured by what is right with America. *William J. “Bill” Clinton*, Jan. 21, 1993

The Long Quotation tag is used for quotations of more than one paragraph. Following is the beginning of *Alice’s Adventures in Wonderland* by Lewis Carroll:

Alice was beginning to get very tired of sitting by her sister on the bank, and of having nothing to do: once or twice she had peeped into the book her sister was reading, but it had no pictures or conversations in it, ‘and what is the use of a book,’ thought Alice ‘without pictures or conversation?’

So she was considering in her own mind (as well as she could, for the hot day made her feel very sleepy and stupid), whether the pleasure of making a daisy-chain would be worth the trouble of getting up and picking the daisies, when suddenly a White Rabbit with pink eyes ran close by her.

There was nothing so very remarkable in that; nor did Alice think it so very much out of the way to hear the Rabbit say to itself, ‘Oh dear! Oh dear! I shall be late!’ (when she thought it over afterwards, it occurred to her that she ought to have wondered at this, but at the time it all seemed quite natural); but when the Rabbit actually took a watch out of its waistcoat-pocket, and looked at it, and then hurried on, Alice started to her feet, for it flashed across her mind that she had never before seen a rabbit with either a waistcoat-pocket, or a watch to take out of it, and burning with curiosity, she ran across the field after it, and fortunately was just in time to see it pop down a large rabbit-hole under the hedge.

In another moment down went Alice after it, never once considering how in the world she was to get out again.

Use the Verbatim tag when you want L<sup>A</sup>T<sub>E</sub>X to preserve spacing, perhaps when including a fragment from a program such as:

```
#include <iostream>           // < > is used for standard libraries.
void main(void)              // "main" method always called first.
```

```
{
  cout << "Hello World."; // Send to output stream.
}
```

## 6.3 Mathematics and Text

Let  $H$  be a Hilbert space,  $C$  be a closed bounded convex subset of  $H$ ,  $T$  a nonexpansive self map of  $C$ . Suppose that as  $n \rightarrow \infty$ ,  $a_{n,k} \rightarrow 0$  for each  $k$ , and  $\gamma_n = \sum_{k=0}^{\infty} (a_{n,k+1} - a_{n,k})^+ \rightarrow 0$ . Then for each  $x$  in  $C$ ,  $A_n x = \sum_{k=0}^{\infty} a_{n,k} T^k x$  converges weakly to a fixed point of  $T$ .

The numbered equation

$$u_{tt} - \Delta u + u^5 + u|u|^{p-2} = 0 \text{ in } \mathbf{R}^3 \times [0, \infty[ \quad (6.1)$$

is automatically numbered as equation ??.

## 6.4 Lists Environments

You can create numbered, bulleted, and description lists using the Item Tag popup list on the Tag toolbar.

1. List item 1
  2. List item 2
    - (a) A list item under a list item.
 

The typeset style for this level is different than the screen style. The screen shows a lower case alphabetic character followed by a period while the typeset style uses a lower case alphabetic character surrounded by parentheses.
    - (b) Just another list item under a list item.
      - i. Third level list item under a list item.
        - A. Fourth and final level of list items allowed.
- Bullet item 1
  - Bullet item 2
    - Second level bullet item.
      - \* Third level bullet item.
        - Fourth (and final) level bullet item.

**Description List** Each description list item has a term followed by the description of that term. Double click the term box to enter the term, or to change it.

**Bunyip** Mythical beast of Australian Aboriginal legends.

## 6.5 Theorem-Like Environments

The following theorem-like environments (in alphabetical order) are available in this style.

**Acknowledgement 21** *This is an acknowledgement*

**Algorithm 22** *This is an algorithm*

**Axiom 23** *This is an axiom*

**Case 24** *This is a case*

**Claim 25** *This is a claim*

**Conclusion 26** *This is a conclusion*

**Condition 27** *This is a condition*

**Conjecture 28** *This is a conjecture*

**Corollary 29** *This is a corollary*

**Criterion 30** *This is a criterion*

**Definition 31** *This is a definition*

**Example 32** *This is an example*

**Exercise 33** *This is an exercise*

**Lemma 34** *This is a lemma*

**Proof.** This is the proof of the lemma. ■

**Notation 35** *This is notation*

**Problem 36** *This is a problem*

**Proposition 37** *This is a proposition*

**Remark 38** *This is a remark*

**Summary 39** *This is a summary*

**Theorem 40** *This is a theorem*

**Proof of the Main Theorem.** This is the proof. ■

# The First Appendix

The appendix fragment is used only once. Subsequent appendices can be created using the Chapter Section/Body Tag.



# Afterword

The back matter often includes one or more of an index, an afterword, acknowledgements, a bibliography, a colophon, or any other similar item. In the back matter, chapters do not produce a chapter number, but they are entered in the table of contents. If you are not using anything in the back matter, you can delete the back matter `TeX` field and everything that follows it.